RENO EVENING GAZETTE PROOF OF PUBLICATION

NOTICE OF COUNTY ORDINANCE Notice is hereby give that Bill No 3, amending Exhibit "A" of Ordinance STATE OF NEVADA COUNTY OF WASHOE ss.

DOROTHY YOOM

being first duly sworn, deposes and says: That she is the legal clerk of THE RENO EVENING GAZETTE, a daily newspaper published at Reno, in Washoe County, in the State of Nevada.

That the notice BILL 283

of which a copy is hereto attached, was first

published in said newspaper in its issue dated the

11 day of April 1972 and
April 18

the full period of ... 2 days, the last publication thereof being in the issue dated the ... 18 day of ... April ... 19 .. 72

Signed Hazethy

Subscribed and sworn to before me this

Notar

RICHARD J. TAYLOR

Notary Public — State of Nevada

Washoe County

My Commission Expires Jan. 22, 1975

SUMMARY: Amends Ordinance No. 83 (Building Code) to add minimum burn-through times for interior wall finishes for Group H and I occupancies.

BILL NO. 283

ORDINANCE NO. 83

AN ORDINANCE TO AMEND EXHIBIT "A" OF WASHOE COUNTY ORDINANCE NO. 83 ENTITLED "AN ORDINANCE REGULATING THE ERECTION, CONSTRUCTION, ENLARGEMENT, ALTERATION, REPAIR, MOVING, REMOVAL, CONVERSION, DEMOLITION, OCCUPANCY, EQUIPMENT, USE, HEIGHT, AREA AND MAINTENANCE OF BUILDINGS OR STRUCTURES IN THE UNINCORPORATED AREA OF WASHOE COUNTY; PROVIDING FOR THE ISSUANCE OF PERMITS AND COLLECTION OF FEES THEREFOR; PROVIDING PENALTIES FOR THE VIOLATION THEREOF, AND REPEALING ALL ORDINANCES AND PARTS OF ORDINANCES IN CONFLICT THEREWITH; AND OTHER MATTERS PROPERLY RELATING THERETO," AS AMENDED, BY ADDING MINIMUM BURN-THROUGH TIMES FOR INTERIOR WALL FINISHES FOR GROUP H AND I OCCUPANCIES.

THE BOARD OF COUNTY COMMISSIONERS OF THE COUNTY OF WASHOE DO ORDAIN:

SECTION 1.

There is hereby added to Exhibit "A" of Washoe County Ordinance No.
83 a new paragraph (c) of Section 1302, which shall read as follows:

(c) Burn-through time for all component wall assemblies shall be a minimum of 45 minutes, as tested by a nationally approved testing agency.

SECTION 2.
There is hereby added to Exhibit "A" of Washoe County Ordinance No.
83, Section 1402, which shall read as follows:

Sec. 1402

- (a) Buildings or parts of buildings classed in Group I because of the use or character of the occupancy shall be limited to the types of construction set forth in Tables No. 5-C and No. 5-D and shall not exceed, in area or height, the limits specified in Sections 505, 506 and 507.
- (b) Burn-through times for all component wall assemblies shall be a minimum of 45 minutes, as tested by a nationally approved testing agency.

SECTION 3.

This Ordinance shall be in full force and effect from and after its passage, approval and publication as prescribed by NRS 244.100.

Proposed on the 17th day of January , 1972.

Proposed by Commissioner Pagni

Passed on the 5th day of April , 1972.

Vote:

Ayes: Commissioners: Pagni, Coppa, McKissick, Rusk and

Nelson

Nays: Commissioners: None

Absent: Commissioners: None

Chairman of the Board

ATTEST:

H.K. BROON CLERK.

County Clerk