



Conditions of Approval

Detached Accessory Dwelling Administrative Review Case Number
WDADAR22-0012

The project approved under Detached Accessory Dwelling Administrative Review Case Number WDADAR22-0012 shall be carried out in accordance with these conditions of approval granted on January 4, 2023. Conditions of approval are requirements placed on a permit or development by each reviewing agency. These conditions of approval may require submittal of documents, applications, fees, inspections, amendments to plans, and more. These conditions do not relieve the applicant of the obligation to obtain any other approvals and licenses from relevant authorities required under any other act or to abide by all other generally applicable codes, and neither these conditions nor the approval by the County of this project/use override or negate any other applicable restrictions on uses or development on the property.

Unless otherwise specified, all conditions related to the approval of this detached accessory dwelling administrative review shall be met or financial assurance must be provided to satisfy the conditions of approval prior to issuance of a certificate of occupancy by the Planning and Building Division. The agency responsible for determining compliance with a specific condition shall determine whether the condition has been fully completed or whether the applicant shall be offered the option of providing financial assurance. All agreements, easements, or other documentation required by these conditions shall have a copy filed with Planning and Building.

Compliance with the conditions of approval related to this administrative review is the responsibility of the applicant, his/her successor in interest, and all owners, and occupants of the property. Failure to comply with any of the conditions imposed in the approval of the Administrative Review Permit may result in the initiation of revocation procedures.

For the purpose of conditions imposed by Washoe County, “may” is permissive and “shall” or “must” is mandatory.

FOLLOWING ARE CONDITIONS OF APPROVAL REQUIRED BY THE REVIEWING AGENCIES. EACH CONDITION MUST BE MET TO THE SATISFACTION OF THE ISSUING AGENCY.

Washoe County Planning and Building Division

1. The following conditions are requirements of Planning and Building, which shall be responsible for determining compliance with these conditions.

Contact Name – Julee Olander, Planner, 775.328.3627, jolander@washoecounty.gov

- a. **The applicant shall attach a copy of the action order approving this project to all permits and applications (including building permits) applied for as part of this detached accessory dwelling administrative review.**
- b. The applicant shall demonstrate substantial conformance to the plans approved as part of this administrative review permit. Planning and Building shall determine compliance with this condition.
- c. The applicant shall submit construction plans, with all information necessary for comprehensive review by Washoe County, and initial building permits shall be issued within two years from the date of approval by Washoe County. The applicant shall complete construction within the time specified by the building permits.

- d. Construction activities shall be limited to the hours between 7am to 7pm, Monday through Saturday only. Construction machinery or construction personal gatherings are also limited to these hours. No construction activities shall take place on Sundays.
- e. A note shall be placed on all construction drawings and grading plans stating:

NOTE

Should any cairn or grave of a Native American be discovered during site development, work shall temporarily be halted at the specific site and the Sheriff's Office as well as the State Historic Preservation Office of the Department of Conservation and Natural Resources shall be immediately notified per NRS 383.170.

Washoe County Engineering and Capital Projects

- 2. The following conditions are requirements of Planning and Development, which shall be responsible for determining compliance with these conditions.

Contact Name – Robert Wimer, P.E., 775.328.2059, rwimer@washoecounty.gov

- a. The Regional Road Impact Fee (RRIF) will be charged at the multi-family rate for one unit with the building permit for the accessory dwelling.
- b. An Encroachment Permit shall be obtained from the City of Reno for any utilities or other encroachments/excavations constructed within existing Reno roadways/right-of-way and a copy of the permit submitted to Washoe County Engineering.
- c. For proposed construction of retaining walls within embankment of the Last Chance Ditch, provide a letter of review and approval from the Last Chance Ditch Company prior to the approval of the building permit.

Truckee Meadows Fire Protection District (TMFPD)

- 3. The following conditions are requirements of the Truckee Meadows Fire Protection District, which shall be responsible for determining compliance with these conditions. Unless otherwise stated, these conditions shall be met prior to the issuance of any building or grading permit or on an ongoing basis (phased development) as determined by TMFPD.

Any future development of a single, multiple, or all parcels will be subject to currently adopted Fire and Wildland-Urban Interface Codes at the time of development on the specific parcel.

Contact Name –Brittany Lemon, Fire Captain, 775.326.6000, blemon@tmfpd.us

- a. The project shall meet and comply with all requirements of currently adopted TMFPD fire codes, ordinances, and standards at the time of construction to include infrastructure for fire apparatus access roads and water supply."
<https://tmfpd.us/fire-code/>.
- b. The parcel is located in a moderate fire hazard severity area. The parcel has conforming water and appears to meet the defensible space requirement of 30 feet with the proposed detached accessory dwelling. Ignition Resistant Construction Class 3 (IR3) per the 2018 WUI code will be required

Washoe County Water Building Division

4. The following conditions are requirements of Washoe County Water Management Planner Coordinator, who shall be responsible for determining compliance with these conditions.
Contact Name – Rosa Landis, 775.328.2034, rlandis@washoecounty.gov
 - a. The detached accessory dwelling must meet the requirements for a dwelling in the 2018 IRC, 2018 IWUIC, and 2018 Northern Nevada Amendments.

*** End of Conditions ***