NOTICE OF EXEMPTION

FOR VALIDATION RETURN One Original AND **One** Copy **plus a check for *$13.00*, mailed to:**

Air Quality Management Division,
PO BOX 11130, Reno NV 89520-0027
(775) 784-7200

The undersigned affirm there is no wood stove, pellet stove, or fireplace insert on the property at:

Property Address	City	State	Zip

APN	Title Company or Mobile Home Dealer	Escrow Number

RESIDENCE CONTAINS (mark all that apply):

☐ MANUFACTURED GAS UNIT or GAS RETROFIT

☐ NO SOLID FUEL BURNING DEVICE

☐ FIREPLACE ONLY: Doors are not gasketed to make device airtight.

☐ UNCERTIFIED WOODSTOVE REMOVED FROM PROPERTY PRIOR TO SALE. (Not previously inspected)

SELLER	**BUYER**
Print Name	Print Name
Seller Signature Date	Buyer Signature Date
Notary Signature Date	Notary Signature Date
NOTARY SEAL	**NOTARY SEAL**
NOTARY SEAL STAMP	NOTARY SEAL STAMP

The above signed hereby swear (or affirm) under penalties prescribed for perjury in NRS 199.120 that the provided information is true and correct of their knowledge. Perjury is a felony, subject to up to 10 years in prison and a $10,000 fine.

New owner agrees to allow District Health Department access to property to perform verification inspection for a period not to exceed 30 days from date of close of escrow.

TO BE STAMPED BY
AIR QUALTIY MANAGEMENT
FOR VALIDATION