

## Washoe County Human Services Department

---

### Regulations for Child Care Facilities

### Addendum V

---

**IMMUNIZATIONS** - See Section 26 of the Regulations for NRS 432A.230 TO 432A.280

#### IMMUNIZATIONS REQUIRED FOR CHILD CARE ENTRY

Effective 2018

A copy of this guide should be posted on a wall or desk top as a handy, quick reference for assessing the immunization status of children before they are allowed to attend your facility. If you need more information, please consult the Immunization Coordinator at your local health department.

Important! Parents must present a certificate, issued by the local health department or an authorized physician, of their child's immunizations before he or she can attend your facility. The certificate must include the following: vaccine name, month, day, year given, and provider name.

Use the tables found in this Section to evaluate each child's immunization status.

A. Conditional Admission of Non-Permanent Residents:

A child, whose parent or guardian has not established a permanent residence in the county in which a childcare facility is located and whose history of immunization cannot be immediately confirmed by a physician in the state or a local health department may enter the childcare facility conditionally. The parent or guardian must submit within 30 days documentation from a physician or health department that the child has received or is receiving the required immunization(s) and provide proof that they have not established a permanent residency in the county in which the facility is located.

B. Pupils Not Meeting Requirements:

Refer pupils who do not meet these county requirements to their physician or local health department, providing them with a written notice and indicating which doses are missing. If documentation of immunizations showing that the child has received or is receiving the required immunizations is not submitted to the operator of the child care facility within 30 days after the child was conditionally admitted, the child must be excluded from the facility.. Parents or guardians who refuse to remove their children from the facility when directed by the child care facility operator for failures to comply with immunization requirements are guilty of a misdemeanor (NRS 432.280).

AGE AT ENTRY	VACCINES REQUIRED	DOSES REQUIRED
Younger than 2 months	None <i>Note: Birth dose Hep B is a valid dose</i>	0
2-3 months	DTaP/DTP/DT	1
	HepB	1
	IPV	1
	Hib	1

**Washoe County Human Services Department**

**Regulations for Child Care Facilities**

**Addendum V**

	PCV 13	1
4-5 months	DTaP/DTP/DT	2
	HepB	2
	IPV	2
	Hib	2
	PCV 13	2
6-11 months	DTaP/DTP/DT	3
	HepB	3
	IPV	3
	Hib	2-3
	PCV 13	3
12-14 months	DTaP/DTP/DT	3
	HepB	3
	IPV	3
	Hib	3-4
	PCV 13	4
	Hep A	1
	MMR	1
	VAR	1
15-17 months	DTaP/DTP/DT	4
	HepB	3
	IPV	3
	Hib	3-4
	PCV 13	4
	Hep A	1
	MMR	1
	VAR	1
18- months-3 years 11 months	DTaP/DTP/DT	4
	HepB	3
	IPV	3
	Hib	3-4
	PCV 13	4
	Hep A	2
	MMR	1
	VAR	1
4 years	DTaP/DTP/DT	5
	HepB	3
	IPV	4
	Hib	3-4
	PCV 13	4
	Hep A	2
	MMR	2
	VAR	2

Vaccine	Routine Schedule (Required for childcare)	'Minimum' Interval/Age Requirements	Exceptions/Other
---------	--	--	------------------

## Washoe County Human Services Department

### Regulations for Child Care Facilities

### Addendum V

<p>DTaP (Diphtheria, Tetanus, acellular Pertussis),</p> <p><i>Brand names:</i> Infanrix, Daptacel</p> <p><i>Combo vaccines:</i> Pediarix (DTaP-Hep B-IPV) Pentacel (DTaP-IPV/Hib) Kinrix (DTaP-IPV)</p> <p>DT (Diphtheria, Tetanus)</p>	<p>Dose 1: 2 months (2 mo) Dose 2: 4 months (4 mo) Dose 3: 6 months (6 mo) Dose 4: 15-18 months (required at 15 months) Dose 5: 4-6 years (required at 4 years old)</p>	<ul style="list-style-type: none"> <li>• At least 6 weeks old at dose 1</li> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• 4 weeks between dose 2 &amp; 3</li> <li>• 6 months between dose 3 &amp; 4*</li> <li>• 6 months between dose 4 &amp; 5</li> </ul>	<ul style="list-style-type: none"> <li>• 5<sup>th</sup> dose not necessary if 4<sup>th</sup> dose received on or after the 4<sup>th</sup> birthday and at least 6 months between dose 3 and dose 4</li> <li>• Dose 4 can be given as early as 12 months of age and at least 6 months between dose 3 and dose 4</li> <li>• *Dose 4 is valid and does not need to be repeated if given at least 4 months after dose 3</li> <li>• DT is only used for children with medical contraindication to Pertussis vaccine and requires a "Medical exemption"</li> </ul>
<p>IPV (Inactivated Polio Vaccine)</p> <p><i>Brand Names:</i> Ipol</p> <p><i>Combo vaccines:</i> Pediarix (DTaP-Hep B-IPV) Pentacel (DTaP-IPV/Hib) Kinrix (DTaP-IPV)</p>	<p>Dose 1: 2 months (2 mo) Dose 2: 4 months (4 mo) Dose 3: 6-18 months (required at 6 months) Dose 4: 4-6 years (required at 4 years old)</p>	<ul style="list-style-type: none"> <li>• At least 6 weeks old at dose 1</li> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• 4 weeks between dose 2 &amp; 3</li> <li>• 6 months between dose 3 &amp; 4</li> </ul>	<ul style="list-style-type: none"> <li>• 4<sup>th</sup> dose not necessary if 3<sup>rd</sup> dose received on or after the 4<sup>th</sup> birthday, and at least 6 months between dose 2 and dose 3</li> <li>• Last dose must be on or after the 4<sup>th</sup> birthday and 6 months from the previous dose regardless of the # of previous doses</li> <li>• Starting April 1, 2016, OPV doses given worldwide are not valid in the US (not trivalent)</li> </ul>
<p>Hib (Haemophilus Influenzae Type B)</p> <p><i>Brand names:</i> ActHIB (PRP-T): 4 doses PedvaxHIB (PRP-OMP): 3 doses</p> <p><i>Combination vaccines:</i> Pentacel (DTaP-IPV/Hib)</p>	<p>Dose 1: 2 months (2 mo) Dose 2: 4 months (4 mo) Dose 3: 6 months (6 mo) Dose 4: 12-15 months (required at 12 months)</p>	<ul style="list-style-type: none"> <li>• At least 6 weeks old at dose 1</li> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• 4 weeks between dose 2 &amp; 3</li> <li>• 8 weeks between dose 3 &amp; 4</li> <li>• Minimum age for last dose is 12 months of age</li> <li>• Maximum age for routine vaccination is 4 years of age</li> <li>• Minimum interval between last 2 doses in the series is 8 weeks</li> </ul>	<ul style="list-style-type: none"> <li>• ActHIB (PRP-T) Unvaccinated children 7 months or older require fewer doses to complete series</li> <li>• PedvaxHIB (PRP-OMP) Unvaccinated children 12 months or older require fewer doses to complete series</li> <li>• If PedvaxHIB was used for dose 1 and 2, dose 3 is not required until 12 months</li> <li>• 4 doses are required to complete the Hib series if a combination of Hib (PRP-T and PRP-OMP) vaccines are used</li> <li>• If at least 1 dose was received on or after 15 months of age, no further doses are needed</li> <li>• Not required for childcare for children 5 years or older</li> </ul>
<p>HAV (Hepatitis A)</p> <p><i>Brand names:</i> Havrix and VAQTA</p>	<p>Dose 1: 12-23 months (required at 12 months) Dose 2: 18-23 months (required at 18 months)</p>	<ul style="list-style-type: none"> <li>• Minimum age for dose 1 is 12 months</li> <li>• 6 months between dose 1 &amp; 2</li> </ul>	

--	--	--	--

## Washoe County Human Services Department

### Regulations for Child Care Facilities

### Addendum V

Vaccine	Routine Schedule (Required for childcare)	'Minimum' Interval/Age Requirements	Exceptions/Other
<p>HBV (Hepatitis B)</p> <p><i>Brand names:</i> Engerix-B Recombivax HB</p> <p><i>Combination vaccines:</i> Pediarix (DTaP-Hep B-IPV)</p>	<p>Dose 1: Birth (required at 2 months)</p> <p>Dose 2: 1-2 months (required at 4 months)</p> <p>Dose 3: 6-18 months (required at 6 months)</p>	<ul style="list-style-type: none"> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• 8 weeks between dose 2 &amp; 3</li> <li>• 16 weeks between dose 1 &amp; 3</li> <li>• Must be 6 months old or at least 24 weeks at dose 3</li> </ul>	<ul style="list-style-type: none"> <li>• 4 doses maybe given if combination vaccines have been used (birth dose plus Pediarix)</li> <li>• If dose 1 given at birth and dose 2 at 2 months, dose 3 is not required until 6 months of age</li> </ul>
<p>PCV-7/PCV-13 (Pneumococcal Conjugate Vaccine)</p> <p><i>Brand names:</i> Prevnar (PCV7) Prevnar (PCV13)</p>	<p>Dose 1: 2 months (2 mo)</p> <p>Dose 2: 4 months (4 mo)</p> <p>Dose 3: 6 months (6 mo)</p> <p>Dose 4: 12-15 months (required at 12 months)</p>	<ul style="list-style-type: none"> <li>• At least 6 weeks old at dose 1</li> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• 4 weeks between dose 2 &amp; 3</li> <li>• 8 weeks between dose 3 &amp; 4</li> <li>• Minimum age for last dose is 12 months of age</li> <li>• Maximum age for routine vaccination is 4 years of age</li> <li>• Minimum interval between last 2 doses in the series is 8 weeks</li> </ul>	<ul style="list-style-type: none"> <li>• Unvaccinated children 7 months or older require fewer doses to complete series</li> <li>• If at least 1 dose was received on or after 2 years of age, no further doses are needed</li> <li>• Not required for childcare for children 5 years or older</li> </ul>
<p>MMR (Measles, Mumps and Rubella)</p> <p><i>Brand name:</i> M-M-R II</p> <p><i>Combination vaccines:</i> ProQuad (MMRV)</p>	<p>Dose 1: 12-15 months (required at 12 months)</p> <p>Dose 2: 4-6 years (required at 4 years)</p>	<ul style="list-style-type: none"> <li>• 4 weeks between dose 1 &amp; 2</li> <li>• Minimum age for dose 1 is 12 months of age</li> <li>• Minimum age for dose 2 is 13 months of age</li> </ul>	<ul style="list-style-type: none"> <li>• 2<sup>nd</sup> dose given before age 4 years is acceptable as long as there has been 4 weeks between dose 1 and dose 2, no dose needed at age 4</li> <li>• If dose 1 given before 12 months of age, the dose is <i>invalid</i> and must be repeated at or after 12 months of age and there has been at least 4 weeks from the previous dose</li> </ul>
<p>VZV (Chickenpox)</p> <p><i>Brand names:</i> Varivax (VAR)</p> <p><i>Combination vaccines:</i> ProQuad (MMRV)</p>	<p>Dose 1: 12-15 months (required at 12 months)</p> <p>Dose 2: 4-6 years (required at 4 years)</p>	<ul style="list-style-type: none"> <li>• 3 months between dose 1 and dose 2 for children 12 months to 12 years of age</li> <li>• Minimum age for dose 1 is 12 months of age</li> <li>• Minimum age for dose 2 is 15 months of age</li> </ul>	<ul style="list-style-type: none"> <li>• 2<sup>nd</sup> dose given before age 4 years is acceptable as long as there has been 4 weeks between dose 1 and dose 2, no dose needed at age 4</li> <li>• If dose 1 given before 12 months of age, the dose is <i>invalid</i> and must be repeated at or after 12 months of age and there has been at least 12 weeks from the previous dose</li> <li>• Parental history of disease is <u>not</u> acceptable</li> <li>• Parents must submit proof of immunity to Varicella to be exempted: <ul style="list-style-type: none"> <li>➢ Laboratory evidence of immunity or laboratory confirmation of disease</li> <li>➢ A healthcare provider's diagnosis of Varicella or verification of history of Varicella</li> </ul> </li> </ul>